# **SAFETY DATA SHEET**



# 1. IDENTIFICATION

**Product identifier** 

**BSI-102 Glass Cleaner Product Name** 

Other means of identification Window Cleaner

**Recommended Uses** 

Windows or Glass

**Distributor Address** Best Sanitizers, Inc.

PO Box 1360 Penn Valley, CA 95946 Toll Free: 888-225-3267

**Emergency telephone number** 

ChemTrec 1-800-424-9300

**Emergency Phone Numbers** 

# 2. HAZARDS IDENTIFICATION

## Classification

This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/irritation	Category 2
Flammable Liquids	Category 3

Signal word Warning

**Hazard statements** 

Causes serious eye irritation Flammable liquid and vapor



Appearance Aqueous solution Physical State Liquid Odor Mild

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Keep away from heat/sparks/open flames/hot surfaces----No Smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower.

In case of fire: Use CO2, dry chemical, or foam for extinction.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep Cool.

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

#### Hazards not otherwise classified (HNOC)

Not Applicable

#### Other Information

\*Causes mild skin irritation.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Trade Secret
Water	7732-18-5	72-80	
Isopropyl alcohol	67-63-0	10-17	
Propylene glycol n-butyl ether	5131-66-8	6-11	
Trade Secret 1	Proprietary	0.5-0.9	*
Trade Secret 3	Proprietary	0.1-0.5	*
Trade Secret 2	Proprietary	0.3-0.6	*
Trade Secret 4	Proprietary	0.1-0.3	*
2-Aminoethanol	141-43-5	0.3-0.9	
Ethylenediaminetetraacetic acid tetrasodium salt	64-02-8	0.05-0.15	

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

#### First aid measures

Eye Contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). Seek

immediate medical advice/ attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if

irritation develops and persists.

**Inhalation** Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician if necessary.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

### **Most Important Symptoms and Effects**

See Section 11 for symptom information

### Indication of any immediate medical attention and special treatment needed

**Note to physicians:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry Chemical. Water spray (fog), Carbon dioxide (CO2), Foam.

#### **Unsuitable Extinguishing Media**

No Information available.

# Specific Hazards Arising from the Chemical

Flammable. Vapors may travel to source of ignition and flash back.

#### Hazardous combustion products:

Carbon monoxide (CO); Carbon Dioxide (CO2).

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protection recommended in Section 8. Ensure adequate ventilation,

especially in confined areas.

For emergency responders Isolate area. Keep unnecessary personnel away.

**Environmental precautions** 

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section

12 for additional ecological information.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-

combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (See Section 13).

Methods for Cleaning Up

Use clean non-sparking tools to collect absorbed material. May be ignited by friction, heat, sparks or flames. Collect spillage. Soak up with inert absorbent material. Sweep up and

shovel into suitable containers for disposal. Following product recovery, flush area with

water.

#### 7. HANDLING AND STORAGE

## Precautions for safe handling

Handling Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric

motors and static electricity). Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Use personal protection recommended in Section 8. Avoid contact with skin, eyes or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good

industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

Storage Conditions/ Incompatible materials

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot

lights, electric motors and static electricity).

Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and ammonia causing fire and explosion hazard.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m3 (vacated)STEL: 500 ppm (vacated) STEL: 1225 mg/m3	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m3 STEL: 500 ppm STEL: 1225 mg/m3
2-Aminoethanol 141-43-5	STEL: 6 ppm TWA: 3 ppm	TWA: 3 ppm TWA: 6 mg/m3 (vacated)STEL: 6 ppm (vacated) STEL: 15 mg/m3	IDLH: 30 ppm TWA: 3 ppm TWA: 8 mg/m3 STEL: 6 ppm STEL: 15 mg/m3

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

### Appropriate engineering controls

**Engineering Controls** Showers, eyewash stations, ventilation system.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Wear safety glasses with side shields (or goggles).

**Skin and Body Protection** Wear protective NeopreneTM gloves. Rubber gloves. Normal work clothing (long sleeved

shirt and long pants) is recommended. Apron recommended.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory

protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance

with current local regulations.

Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated **Hygiene Measures** 

clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

**Formula** See Section 3

**Physical State** Liquid

**Appearance** Aqueous solution Odor

Color Clear. Blue **Odor Threshold** No information available

**Property Values** Remarks/ Method На 10.5 +/- 1 @ 21°C

Melting/freezing point -9°C / 16° F None known

Boiling point / boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air	No information available. ~ 33°C / ~ 91°F No data available No data available	None known Closed cup None known None known
Upper flammability limit	No data available	None known
Lower flammability limit	No data available	None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	0.97 g/cc	None known
Water Solubility	Soluble in water.	None known
Solubility in other solvents	No data available	None known
Partition coefficient:	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

# 10. STABILITY AND REACTIVITY

## Reactivity

No data available.

# **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

#### **Conditions to avoid**

Heat, flames and sparks.

#### **Incompatible materials**

Heat, sparks, open flame, other ignition sources. Reacts violently with strong oxidants such as nitric acid and silver nitrate causing fire and explosion hazard. Reacts slowly with calcium hypochlorite and ammonia causing fire and explosion hazard.

## **Hazardous Decomposition Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Inhalation** Inhalation of vapors in high concentration may cause irritation of respiratory system.

**Eye Contact** Irritating to eyes.

**Skin Contact** Prolonged contact may cause irritation.

**Ingestion** Harmful if swallowed.

## Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
2-Aminoethanol 141-43-5	= 1720 mg/kg (Rat)	= 1000 mg/kg (Rabbit) = 1 mL/kg (Rabbit)	ı
Isopropyl alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m3 (Rat) 4h
Propylene glycol n-butyl ether 5131-66-8	= 5660 μL/kg (Rat) = 1900 mg/kg (Rat)	= 3100 mg/kg (Rabbit)	-
Trade Secret 1	= 5170 mg/kg (Rat)	ı	1
Ethylenediaminetetraacetic acid tetrasodium salt 64-02-8	= 10 g/kg (Rat) =1658 mg/kg (Rat)	-	-

#### Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information Available

Germ cell mutagenicity No Information Available

Carcinogenicity The table below lists whether each agency has listed an ingredient as a carcinogen.

IARC: Group 3 (Not classifiable as to its carcinogenicity to humans).

OSHA: X = Present

Chemical Name	ACGIH	IARC	NTP	OSHA
Isopropyl alcohol 67-63-0	-	Group 3	-	×

Reproductive toxicity No Information Available

STOT single exposure No Information Available

STOT repeated exposure No Information Available

Aspiration Hazard No Information Available

# Numerical measures of toxicity -Product Information

The following values are calculated based on Chapter 3.1 of the GHS document mg/kg.

 Oral LD50
 13852 mg/kg

 Dermal LD50
 16437 mg/kg

 Mist
 537.80 mg/l

# 12. Ecological Data

## **Ecotoxicity**

9.50515% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/Aquatic Plants	Fish	Crustacea
	1000: 96 h Desmodesmus	9640: 96 h Pimephales promelas	13299: 48 h Daphnia magna
Isopropyl alcohol 67-63-0	Subspired as Mg/L 2000		mg/L EC50
		1400000: 96 h Lepomis macrochirus	
		μg/L LC50	
		37: 96 h Lepomis macrochirus mg/L LC50 static	36: 48 h Daphnia magna mg/L EC50
Trade Secret 1	-	20-40: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	
		24: 96 h Oncorhynchus mykiss mg/L LC50 static	
Ethylenediaminetetraacetic	1.01: 72 h Desmodesmus	59.8: 96 h Pimephales promelas mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
acid tetrasodium salt 64-02-8	subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static	
2-Aminoethanol	15: 72 h Desmodesmus	227: 96 h Pimephales promelas mg/L LC50 flow-through	65: 48 h Daphnia magna mg/L EC50
141-43-5	subspicatus mg/L EC50	3684: 96 h Brachydanio rerio mg/L LC static	

300-1000: 96 h Lepomis macrochirus mg/L LC50 static	
200: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	
114: 96 h Oncorhynchus mykiss mg/L LC50 static	

## **Persistence and Degradability**

No Information Available.

## **Bioaccumulation**

Chemical Name	Partition Coefficient
Isopropyl alcohol	0.05
67-63-0	
2-Aminoethanol	-1.91
141-43-5	

## **Mobility**

Soluble in water.

## Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

**Disposal methods** 

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

Chemical Name	California Hazardous Waste Status
Isopropyl alcohol 67-63-0	Toxic; Ignitable

# 14. TRANSPORT INFORMATION

DOT

**UN/ID No.** 1993

Proper shipping name Flammable liquids, n.o.s. (contains isopropanol)

Hazard Class 3
Packing Group III
Emergency Response Guide Number 128

# 15. REGULATORY INFORMATION

#### **Chemical Inventories**

TSCA Complies
DSL/NDSL Complies

**EINECS/EIINCS** Does not comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

#### **U.S. Federal Regulations**

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any

chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: Isopropyl alcohol only needs to be reported if it is being manufactured by the strong acid process. Facilities that process or otherwise use isopropyl alcohol are NOT covered and should NOT file a report.

Chemical Name	SARA 313 - Threshold Values %	
Isopropyl alcohol 67-63-0	1.0	

#### SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product does not contain any substance regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substance regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local regional or state level pertaining to releases of this material.

#### **US State Regulations**

## California Proposition 65

Warning! This product may contain trace amounts of Nitrilotriacetic acid, trisodium salt 5064-31-3; Formaldehyde 500-00-0; Ethyl alcohol 64-17-5.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol 67-63-0	X	Х	X
2-Aminoethanol 141-43-5	Х	Х	Х

## U.S. EPA Label Information

EPA Pesticide Registration Number

Not Applicable

## **16. OTHER INFORMATION**

NFPA Health Hazard 1 Flammability 3 Instability 0 Physical and Chemical Hazards 0

HMIS Health Hazard 1 Flammability 3 Physical Hazard 0 Personal Protection B

(safety glasses; gloves)

Prepared By Technical Department

Preparation/Revision Date January 1, 2025

Version 7
Revision Note Annual Review

## **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**