SAFETY DATA SHEET



1. IDENTIFICATION

Product identifier

Product Name

BSI-225 High-Foaming All-Purpose Neutral Cleaner

Other means of identification General Purpose Cleaner Concentrate

Recommended Uses Equipment, utensils, walls and floors in meat, poultry and food processing plants

Distributor Address

Best Sanitizers, Inc. PO Box 1360 Penn Valley, CA 95946 Toll Free: 888-225-3267

Emergency telephone number

Emergency Phone Numbers ChemTrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/irritation	Category 2A

Signal word	Warning	
Hazard statements Causes serious eye irritation		
Appearance Aqueous solu	ution Physical State Liquid	Odor Mild, sweet

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Precautionary Statements - Storage

Not applicable.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Hazards not otherwise classified (HNOC)

Not Applicable

Other Information

*Harmful to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Trade Secret
Water	7732-18-5	65-85	
Sodium dodecylebenzenesulfonate	25155-30-0	11-15	
Dipropylene glycol monomethyl ether	34590-94-8	6-10	
Trade Secret 1	Proprietary	1-4	*
Ethylenediaminetetraacetic acid tetrasodium salt	64-02-08	1-2	
Ethyl Alcohol	64-17-5	0.2-0.6	

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures	
Eye Contact	Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). If eye irritation persists: Get medical advice/ attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.
Inhalation	Remove to fresh air. Immediate medical attention is not required.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects

See Section 11 for symptom information

Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry Chemical. Water spray (fog), Carbon dioxide (CO2), Foam.

Unsuitable Extinguishing Media

No Information available.

Specific Hazards Arising from the Chemical

No information available. Hazardous combustion products: Carbon monoxide. Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge None

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal Precautions	Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.	
For emergency responders	Isolate area. Keep unnecessary personnel away.	
Environmental precautions		
Environmental Precautions	Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information.	
Methods and material for containm	ent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non- combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (See Section 13).	
Methods for Cleaning Up	Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.	

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Use personal protection recommended in Section 8. Avoid contact with skin and eyes. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage. including any incompatibilities

Storage Conditions/ Incompatible materials	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Dipropylene glycol monomethyl ether 34590-94-8	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 600 mg/m3 (vacated)STEL: 150 ppm (vacated) STEL: 900 mg/m3	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m3 STEL: 150 ppm STEL: 900 mg/m3
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m3	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m3

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Controls	Showers, eyewash stations, ventilation system.
Individual protection measures, su	ich as personal protective equipment
Eye/Face Protection	Tight sealing safety goggles.
Skin and Body Protection	Wear protective NeopreneTM gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long sleeved shirt and long pants) is recommended. Apron recommended
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
Hygiene Measures	Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Formula	See Section 3		
Physical State Appearance Color <u>Propertv</u> pH Melting/freezing point	Liquid Aqueous solution Clear blue <u>Values</u> 7 ~1°C / ~31° F	Odor Odor Threshold <u>Remarks/ Method</u> +/- 1 @ 21°C None known	Mild sweet No information available

Boiling point / boiling range Flash Point Evaporation rate Flammability (solid, gas) Flammability Limits in Air Upper flammability limit Lower flammability limit Vapor pressure Vapor density **Specific Gravity** Water Solubility Solubility in other solvents Partition coefficient: Autoignition temperature **Decomposition temperature Kinematic viscosity** Dynamic viscosity

No information available. Not Flammable No information available No data available

No data available No data available No data available 1.035 g/cc Soluble in water. No data available None known None known

None known

N/A

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system.

Eye Contact Irritating to eyes.

Skin Contact Prolonged contact may cause irritation.

Ingestion Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium dodecylebenzenesulfonate 25155-30-0	= 500 mg/kg (Rat) = 438 mg/kg (Rat)	-	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5400 µL/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Ethylenediaminetetraacetic acid tetrasodium salt 64-02-8	= 10 g/kg (Rat) = 1658 mg/kg (Rat)	-	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	>2 g/kg (Rabbit)	= 124.7 mg/L (rat) 4 h

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No Information Available
Germ cell mutagenicity	No Information Available
Carcinogenicity	Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.
Reproductive toxicity	No Information Available
STOT single exposure	No Information Available
STOT repeated exposure	No Information Available
Aspiration Hazard	No Information Available
Reproductive toxicity STOT single exposure STOT repeated exposure	alcoholic beverage. No Information Available No Information Available No Information Available

Numerical measures of toxicity –Product Information

 Unknown Acute Toxicity
 2.4% of the mixture consists of ingredient(s) of unknown toxicity.

 The following values are calculated based on chapter 3.1 of the GHS document
 Oral LD50
 21011 mg/kg

12. Ecological Data

Ecotoxicity

Very toxic to aquatic life with long lasting effects.

2.474% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium dodecylebenzenesulfonate 25155-30-0	-	10.8: 96 h Oncorhynchus mykiss mg/L LC50 Static	-
Dipropylene glycol monomethyl ether 34590-94-8	-	10000: 96h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L LC50
Ethylenediaminetetraacetic acid tetrasodium salt 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomos macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
Ethyl Alcohol 64-17-5	-	12.0-16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 100: 96 h Pimephales promelas mg/L LC50 static 13400-15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268-14221:48 h Daphnia magna mg/L LC50 2: 48 h Daphnia magna mg/L EC50 Static 10800: 24 h Daphnia magna mg/L EC50

Persistence and Degradability

No Information Available.

Bioaccumulation

Chemical Name	Partition Coefficient
Dipropylene glycol monomethyl ether 34590-94-8	-0.064
Ethyl Alcohol 64-17-5	-0.32

<u>Mobility</u>

Soluble in water.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

14. TRANSPORT INFORMATION

DOT

Not Regulated by US DOT

15. REGULATORY INFORMATION

Chemical Inventories

TSCA	No information available		
DSL/NDSL	No information available		
EINECS/EIINCS	No information available		
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List			

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA-Reportable	CWA-Toxic	CWA-Priority	CWA-Hazardous
	Quantity	Pollutants	Pollutants	Substances
Sodium dodecylebenzenesulfonate 25155-30-0	1000 lbs	-	-	Х

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium dodecylebenzenesulfonate	1000 lbs	-	RQ 1000 lb final RQ
25155-30-0			RQ 454 kg final RQ

US State Regulations

California Proposition 65

This product may contain trace amounts of Nitrilotriacetic acid, trisodium salt 5064-31-3, Formaldehyde 500-00-0, Sulfur dioxide 7446-09-5, Ethylene oxide 75-21-8; 1.4 dioxane 123-91-1. Ethyl alcohol is only a considered Prop 65 hazard when ingested.

U.S. State Right-to-Know Regulations

-	Chemical Name	New Jersey	Massachusetts	Pennsylvania
	Sodium dodecylebenzenesulfonate	Х	Х	Х
	25155-30-0			

Dipropylene glycol monomethyl ether 34590-94-8	Х	Х	Х
Ethyl alcohol 64-17-5	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

<u>NFPA</u> HMIS	Health Hazard 1 Health Hazard 1	Flammability Flammability 0	0 Instability 0 Physical Hazard	0	Physical and Chemical Hazards None Personal Protection B (safety glasses; gloves)
Prepared	Ву	Technical Department			
Preparatio	on/Revision Date	January 1, 2024			
Version Revision	Note Annual Rev	7 view			

General Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet