

SAFETY DATA SHEET



1. IDENTIFICATION

Product identifier

Product Name BSI-45 Degreasing Cleaner and Additive

Other means of identification

No information available

Recommended Uses

Liquid Alkaline Cleaner

Distributor Address

Best Sanitizers, Inc.
PO Box 1360
Penn Valley, CA 95946
Toll Free: 888-225-3267

Emergency telephone number

CHEMTREC 1-800-424-9300

Emergency Phone Numbers

2. HAZARDS IDENTIFICATION

Classification

This product is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Skin Corrosion	Category 1
Serious eye damage	Category 1

Signal word

Danger

Hazard statements

Causes serious skin burns and eye damage.



Appearance Aqueous solution

Physical State Liquid

Odor Solvent

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.
Wash face, hands, and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.
Specific treatment (see Section 4 on SDS for more information).
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower. Wash contaminated clothing and shoes before reuse.
IF INHALED: Remove victim to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor.
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

Precautionary Statements - Storage

Stored locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Trade Secret
Water	7732-18-5	80-89	
Trade Secret 1	Proprietary	3-5	*
Sodium Hydroxide	1310-73-2	2-5	
Ethylene glycol monobutyl ether	111-76-2	2-4	
Propylene glycol monomethyl ether	107-98-2	1-3	
Dipropylene glycol monomethyl ether	34590-94-8	1-3	
Trade Secret 2	Proprietary	< 1.0	*

* The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye Contact	Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after first 5 minutes, then continue rinsing eye(s). Seek immediate medical advice/ attention.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if irritation develops and persists.
Inhalation	Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician if necessary.
Ingestion	Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms and Effects	See Section 11 for symptom information.
--	---

Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Dry Chemical. Water spray (fog), Carbon dioxide (CO₂), Foam.

Unsuitable Extinguishing Media

No Information available.

Specific Hazards Arising from the Chemical

No Information available.

Hazardous combustion products: Carbon monoxide.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal Precautions

Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

For emergency responders

Isolate area. Keep unnecessary personnel away.

Environmental precautions

Environmental Precautions

Prevent entry into waterways, sewers, basements, or confined areas. See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

Methods for Cleaning Up

7. HANDLING AND STORAGE

Precautions for safe handling

Handling

Use personal protection recommended in Section 8. Avoid contact with skin, eyes, or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

**Storage Conditions/
Incompatible materials**

Keep Containers tightly closed in a dry, cool, and well-ventilated place. Keep from freezing.

Strong oxidizing agents. Acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m ³	TWA: 2 mg/m ³ (vacated) Ceiling: 2 mg/m ³	IDLH: 10 mg/m ³ Ceiling: 2 mg/m ³
Ethylene glycol monobutyl ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³
Dipropylene glycol monomethyl ether 107-98-2	STEL: 150 ppm TWA: 50 ppm	TWA: 100 ppm TWA: 600 mg/m ³ (vacated) STEL: 150 ppm (vacated) STEL: 900 mg/m ³	IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Propylene glycol monomethyl ether 107-98-2	STEL: 100 ppm TWA: 50 ppm	(vacated) STEL: 150 ppm (vacated) STEL: 540 mg/m ³	TWA: 100 ppm TWA: 360 mg/m ³ STEL: 150 ppm STEL: 540 mg/m ³

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Splash proof chemical goggles and face shield.

Skin and Body Protection Wear Protective Neoprene gloves. Rubber gloves. Normal work clothing (long sleeved shirt and long pants) are recommended. Apron recommended.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene Measures Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical State	Liquid	Odor	Solvent
Appearance	Aqueous solution	Odor Threshold	Not Determined
Color	Clear to pale yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks/ Method</u>
pH	13	+/- 1 21°C
Melting/freezing point	< -6.7°C / < 20° F	None known

Boiling point / boiling range	No information available.	None known
Flash Point	> 93.3 °C / > 200°F	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limits in Air		
Upper flammability limits	No data available	None known
Lower flammability limits	No data available	None known
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	1.036 g/cc	None known
Water Solubility	Soluble in water.	None known
Solubility in other solvents	No data available	None known
Partition coefficient:	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known

10. STABILITY AND REACTIVITY

Reactivity

No data available.

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known.

Incompatible materials

Strong Oxidizing agents. Acids.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	Inhalation of vapors in high concentration may cause irritation of respiratory system.
Eye Contact	Irritating to eyes. Extended eye exposure may result in corneal damage.
Skin Contact	Prolonged contact may cause irritation.
Ingestion	Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Propylene glycol monomethyl ether 107-98-2	= 5000 mg/kg (Rat)	= 13g/kg (Rabbit)	>7559 ppm (Rat) 6 h
Ethylene glycol monobutyl ether 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-
Dipropylene glycol monomethyl ether 34590-94-8	= 5400 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Trade Secret 2	= 3200 mg/kg (Rat)	= 15440 mg/kg (Rabbit)	-

Information on toxicological effects

Sensitization	No Information Available
Germ cell mutagenicity	No Information Available
Carcinogenicity	This product contains one or more substances which are classified by ACGIH: A3-Confirmed animal carcinogen with unknown relevance to humans. IAAC: (Group 3 (Not classifiable as to its carcinogenicity to humans)).

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene glycol monobutyl ether 111-76-2	A3	Group 3	-	-

Reproductive toxicity	No Information Available
STOT single exposure	No Information Available
STOT repeated exposure	No Information Available

Numerical measures of toxicity –Product Information

Unknown Acute Toxicity 4% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on Chapter 3.1 of the GHS document

ATE mix (oral)	13,945 mg/kg
ATE mix (dermal)	17595 mg/kg
ATE mix (inhalation-dust/mist) ATE mix (inhalation-vapor)	50 mg/L
ATE mix (oral)	69.56 mg/L

12. Ecological Data

Ecotoxicity

Harmful to aquatic life with long lasting effects

4.03% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Fish	Crustacea
Ethylene glycol monobutyl ether 111-76-2	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698-1940: 24 h Daphnia magna mg/L EC50
Sodium hydroxide 1310-73-2	45.4: 96 h Onocorhynchus mykiss mg/L LC50 static	-
Propylene glycol monomethyl ether 107-98-2	20.8: 96 h Pimephales promelas g/L LC50 static 4600-10000: 96 h Leuciscus idus mg/l LC50 static	23300: 48 h Daphnia magna mg/L EC50
Dipropylene glycol monomethyl ether 34590-94-8	10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L EC50
Trade Secret 2	11619: 96 h Pimephales promelas mg/L LC50 static	10: 48 h Daphnia magna mg/L EC50

Persistence and Degradability

No Information Available.

Bioaccumulation

Chemical Name	Partition Coefficient
Ethylene glycol monobutyl ether 111-76-2	0.81
Propylene glycol monomethyl ether 107-98-2	-0.437
Dipropylene glycol monomethyl ether	-0.064

34590-94-8	
------------	--

Mobility

Soluble in water.

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal of wastes Disposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state, and local regulations.

Chemical Name	California Hazardous Waste Status
Sodium hydroxide 1310-73-2	Toxic; Corrosive

14. TRANSPORT INFORMATION

DOT

Not regulated by US DOT

15. REGULATORY INFORMATION

Chemical Inventories

TSCA Complies

DSL/NDSL Complies

EINECS/EIINCS Does not comply

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product contains a chemical(s) which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372. Note: (related to Glycol ethers): 1.0% de minimis concentration (applies to R-(OCH₂CH₂)_n-OR', where n = 1,2, or 3, R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or' consisting of carboxylic acid ester, sulfate, phosphate, nitrate or sulfonate, phosphate, nitrate, or sulfonate, Chemical Category N230

Chemical Name	SARA 313 - Threshold Values %
Ethylene glycol monobutyl ether 111-76-2	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical Name	CWA Reportable	CWA Toxic Pollutants	CWA Priority Pollutants	CWA Hazardous Substances
Sodium hydroxide 1310-73-2	1000 lbs	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide 1310-73-2	1000 lbs	-	RQ 1000 lbs final RQ RQ 454 kg final RQ

US State Regulations**California Proposition 65**

Warning! This product may contain trace amounts of Ethylene oxide 75-21-8.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene glycol monobutyl ether 111-76-2	X	X	X
Sodium hydroxide 1310-73-2	X	X	X
Propylene glycol monomethyl ether 107-98-2	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Trade Secret 2	X	-	X

16. OTHER INFORMATION

NFPA	Health Hazard 1	Flammability 0	Instability 0	Physical and Chemical Hazards 0
HMIS	Health Hazard 1	Flammability 0	Physical Hazard 0	Personal Protection B (safety glasses; gloves)

Prepared By Technical Department

Preparation/Revision Date January 1, 2025

Version 6

Revision Note Annual Review

Reference**General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

