

# SAFETY DATA SHEET



## 1. IDENTIFICATION

### Product identifier

**Product Name** BSI-525 High Foaming Chlorinated Cleaner

### Recommended use of the chemical and restrictions on use

**Recommended Use** Chlorinated alkaline cleaner  
**Uses advised against** Follow the directions for use on the label when applying this product

### Details of the supplier of the safety data sheet

#### Manufacturer Address

**Best Sanitizers, inc.**  
PO Box 1360  
Penn Valley, CA 95946  
Toll Free: 888-225-3267

#### Emergency telephone number

**Emergency Telephone** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

### Label elements

#### **Emergency Overview**

#### **Danger**

#### **Hazard statements**

Causes severe skin burns and eye damage



**Appearance** Aqueous solution      **Physical state** Liquid      **Odor** Chlorine

#### **Precautionary Statements - Prevention**

Do not breathe dusts or mists  
Wash face, hands, and any exposed skin thoroughly after handling  
Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

Immediately call a poison center or doctor  
Specific treatment (see Section 4 on SDS)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center or doctor  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor  
IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Hazards not otherwise classified (HNOC)**

Not Applicable

#### **Other Information**

- May be harmful if swallowed
- Very toxic to aquatic life with long lasting effects

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	weight-%
Water	7732-18-5	73-78
Potassium hydroxide	1310-58-3	9-13
Trade Secret 1	Proprietary	3-5
Sodium hypochlorite	7681-52-9	2-4
Trade Secret 2	Proprietary	1-3
Trade Secret 3	Proprietary	1-2
Sodium hydroxide	1310-73-2	< 0.2

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### First aid measures

##### **Eye contact**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice.

##### **Skin contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing and shoes before reuse. For severe burns, immediate medical attention is required.

##### **Inhalation**

Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

##### **Ingestion**

Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

##### **Symptoms**

See Section 11 for symptom information.

#### Indication of any immediate medical attention and special treatment needed

##### **Note to physicians**

Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Dry chemical. Water spray (fog). Carbon dioxide (CO<sub>2</sub>). Foam.

**Unsuitable extinguishing media** No information available.

#### Specific hazards arising from the chemical

No information available.

##### **Hazardous combustion products**

Chlorine gas released on contact with acids, or during thermal decomposition. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

#### Explosion data

##### **Sensitivity to Mechanical Impact**

None.

##### **Sensitivity to Static Discharge**

None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment, and emergency procedures

##### **Personal precautions**

Use personal protection recommended in Section 8. Ensure adequate ventilation, especially in confined areas.

##### **For emergency responders**

Isolate area. Keep unnecessary personnel away.

#### Environmental precautions

##### **Environmental precautions**

Prevent entry into waterways, sewers, basements, or confined areas. See Section 12 for additional ecological information.

#### Methods and material for containment and cleaning up

##### **Methods for containment**

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

##### **Methods for cleaning up**

Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Following product recovery, flush area with water.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

##### **Advice on safe handling**

Use personal protection recommended in Section 8. Avoid contact with skin, eyes, or clothing. Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

##### **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep from freezing. Do not reuse container.

**Incompatible materials** Acids. Amphoteric metals (aluminum, copper, zinc).

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium hydroxide 1310-58-3	Ceiling: 2 mg/m <sup>3</sup>	(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Sodium hydroxide 1310-73-2	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

### Appropriate engineering controls

**Engineering Controls** Showers, eyewash stations, ventilation system.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Splash proof chemical goggles and face shield.

**Skin and body protection** Wear protective Neoprene™ gloves or rubber gloves. Wear suitable protective clothing. Rubber boots recommended.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene Considerations** Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink, or smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid	<b>Odor</b>	Chlorine
<b>Appearance</b>	Aqueous solution	<b>Odor threshold</b>	No information available
<b>Color</b>	Clear light-yellow	<b>Remarks • Method</b>	
<b>Property</b>	<b>Values</b>		
<b>pH</b>	14	kPa @ 20 °C	
<b>Melting point/freezing point</b>	< -7 °C / < 20 °F		
<b>Boiling point / boiling range</b>	99-105 °C / 210-220 °F		
<b>Flash point</b>	Not flammable		
<b>Evaporation rate</b>	< 1		
<b>Flammability (solid, gas)</b>	No information available		
<b>Flammability Limit in Air</b>			
<b>Upper flammability limit:</b>	No information available		
<b>Lower flammability limit:</b>	No information available		
<b>Vapor pressure</b>	No information available		
<b>Vapor density</b>	> 1		
<b>Specific Gravity</b>	1.229 g/cc		
<b>Water solubility</b>	Miscible in water		
<b>Solubility in other solvents</b>	No information available		
<b>Partition coefficient</b>	No information available		
<b>Autoignition temperature</b>	No information available		
<b>Decomposition temperature</b>	No information available		
<b>Kinematic viscosity</b>	No information available		
<b>Dynamic viscosity</b>	No information available		
<b>Explosive properties</b>	No information available		
<b>Oxidizing properties</b>	No information available		
<b>VOC Content (%)</b>	0.00%		

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

### Chemical stability

Stable under normal conditions. This product will gradually lose some of its oxidizing power over time. Elevated temperatures and contaminants can rapidly accelerate decomposition, possible leading to a hazardous condition. See section 7 for storage procedures.

### Possibility of Hazardous Reactions

None under normal processing.

### Conditions to avoid

Extremes of temperature and direct sunlight.

### Incompatible materials

Acids. Amphoteric metals (aluminum, copper, zinc).

### Hazardous Decomposition Products

Chlorine gas released on contact with acids, or during thermal decomposition. Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors may be irritating to eyes, nose, throat, and lungs.
<b>Eye contact</b>	Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage including blindness.
<b>Skin Contact</b>	Corrosive. Contact causes severe skin irritation and possible burns.
<b>Ingestion</b>	Harmful if swallowed. Can burn mouth, throat, and stomach.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Potassium hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Trade Secret 1	-	> 4640 mg/kg (Rabbit)	-
Sodium hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-
Trade Secret 2	= 3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m <sup>3</sup> (Rat) 1 h
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium hypochlorite - 7681-52-9	-	Group 3	-	-

#### **IARC (International Agency for Research on Cancer)**

Group 3 - "not classifiable as human carcinogens" (listed as hypochlorite salts)

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** Risk of serious damage to the lungs (by aspiration).

### Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 1.71% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

<b>Oral LD50</b>	4,232.00 mg/kg
<b>Dermal LD50</b>	69,385.00 mg/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Very toxic to aquatic life with long lasting effects

3.57% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium hydroxide 1310-58-3	-	80: 96 h <i>Gambusia affinis</i> mg/L LC50 static	-
Trade Secret 1	-	100: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50	100: 48 h water flea mg/L EC50
Sodium hypochlorite 7681-52-9	0.095: 24 h <i>Skeletonema costatum</i> mg/L EC50	4.5 - 7.6: 96 h <i>Pimephales promelas</i> mg/L LC50 static 0.06 - 0.11: 96 h <i>Pimephales promelas</i> mg/L LC50 flow-through 0.4 - 0.8: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 0.28 - 1: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 0.03 - 0.19: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 semi-static 0.05 - 0.771: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through 0.18 - 0.22: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	2.1: 96 h <i>Daphnia magna</i> mg/L EC50 0.033 - 0.044: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Trade Secret 2	-	5560 - 6080: 96 h <i>Lepomis macrochirus</i> mg/L LC50 flow-through 12946: 96 h <i>Lepomis macrochirus</i> mg/L LC50 static 6420 - 6700: 96 h <i>Pimephales promelas</i> mg/L LC50 static 6020 - 7070: 96 h <i>Pimephales promelas</i> mg/L LC50 static 7050: 96 h <i>Pimephales promelas</i> mg/L LC50 semi-static 4747 - 7824: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 flow-through	1000: 48 h <i>Daphnia magna</i> mg/L EC50 340.7 - 469.2: 48 h <i>Daphnia magna</i> mg/L EC50 Static
Sodium hydroxide 1310-73-2	-	45.4: 96 h <i>Oncorhynchus mykiss</i> mg/L LC50 static	-

### Persistence and degradability

No information available.

### Bioaccumulation

Chemical Name	Partition coefficient
Potassium hydroxide 1310-58-3	0.65 0.83

**Mobility**

Soluble in water.

**Other adverse effects** No information available

**13. DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

**Disposal of wastes** Disposal should be in accordance with applicable regional, national, and local laws and regulations.

**Contaminated packaging** Dispose of in accordance with federal, state, and local regulations.

Chemical Name	California Hazardous Waste Status	
Potassium hydroxide - 1310-58-3	Toxic	Corrosive
Sodium hydroxide - 1310-73-2	Toxic	Corrosive

**14. TRANSPORT INFORMATION**

**DOT**

**UN/ID No.** 1760  
**Proper shipping name** Corrosive liquids, n.o.s. (contains potassium hydroxide and sodium hypochlorite)  
**Hazard Class** 8  
**Packing Group** II  
**Emergency Response Guide Number** 154

**15. REGULATORY INFORMATION**

**International Inventories**

**TSCA** No information available  
**DSL/NDSL** No information available  
**EINECS/ELINCS** No information available

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

**SARA 311/312 Hazard Categories**

**Acute health hazard** Yes  
**Chronic Health Hazard** No  
**Fire hazard** No  
**Sudden release of pressure hazard** No  
**Reactive Hazard** No

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium hydroxide 1310-58-3	1000 lb.	-	-	X
Sodium hypochlorite 7681-52-9	100 lb.	-	-	X
Sodium hydroxide 1310-73-2	1000 lb.	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium hydroxide 1310-58-3	1000 lb.	-	RQ 1000 lb. final RQ 454 kg final RQ
Sodium hypochlorite 7681-52-9	100 lb.	-	RQ 100 lb. final RQ 45.4 kg final RQ
Sodium hydroxide 1310-73-2	1000 lb.	-	RQ 1000 lb. final RQ 454 kg final RQ

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium hydroxide 1310-58-3	X	X	X
Sodium hypochlorite 7681-52-9	X	X	X
Sodium hydroxide 1310-73-2	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

<b>NFPA</b>	Health hazards 2	Flammability 0	Instability 1	<b>Physical and Chemical Properties</b> Corrosive, Alkaline
<b>HMIS</b>	Health hazards 2	Flammability 0	Physical hazards 1	<b>Personal protection</b> C (safety glasses, gloves, synthetic apron)

Prepared By Technical Department  
Issue Date 14-Mar-2017  
Revision Date 1-January-2024  
Version 5

**Revision Note**

Ingredient information update

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

**End of Safety Data Sheet**