

EZGUARD™

Disinfecting Spray

**CLEANS AND
DISINFECTS
IN ONE MINUTE**



**BACTERICIDAL
TUBERCULOCIDAL
FUNGICIDAL
VIRUCIDAL**

Efficacy tests have demonstrated that this product is an effective virucide, bactericide, tuberculocide and fungicide in the presence of organic soil

- One minute contact time allows for faster patient transition
- Fragrance-free and bleach-free formula doesn't leave an offensive odor and dries without a residue
- Clean and disinfect in one step
- 72.5% Ethyl Alcohol formula
- Effective in disinfecting Medical, Dental and Veterinary surfaces

REORDER: BHC3000



CONTACT US AT 888-225-3267
OR VISIT WWW.BESTSANITIZERS.COM



See product label for handling and storage guidelines.
See SDS for additional information.

Active Ingredients

Ethyl Alcohol	72.50 %
Didecyl Dimethyl Ammonium Chloride	0.33 %
OTHER INGREDIENTS:	27.17 %
TOTAL	100.0000 %

Warning: Flammable

Color: Clear Liquid

Pounds Per Gallon: 7.18

Configurations

BHC3000 EZ-Guard Disinfecting Spray 12 x 1 quart bottles w/ triggers

REORDER: BHC3000

PHYSICAL OR CHEMICAL HAZARDS:

Flammable. Keep away from heat or open flame.

EZ-Guard Disinfecting Spray will not harm most surfaces: including stainless steel, aluminum, other hard and soft metals, sealed quartz or other solid man-made countertop materials, most plastics, fiberglass, vinyl, nylon, and other non-porous upholstery materials used in a medical, veterinary or dental environment, and most painted surfaces. For plastic and painted surfaces, spot test on an inconspicuous area before use. Not recommended for use on acrylic plastics or coated optical surfaces. Do not use on unpainted wood, or leather. Not for use on people or pets.

EZ-Guard Disinfecting Spray is intended for use on hard non-porous surfaces in:

- Hospitals and healthcare settings, including: Ambulances, Clinics, Dental Offices, Dialysis Clinics, Doctor's Offices, Emergency Rooms, Home Health Care, Hospices, Laboratory, Long Term Care Facilities, Newborn Nursery, Nursing Homes, Operating rooms, Pediatrics, Physical Therapy, Physician's Offices, Ophthalmic Offices, Radiology, Recovery Room, Rehabilitation, Respiratory Therapy, Ultrasound, Transport Vehicles, Waiting Areas, X-Ray.
- Animal Hospitals, Animal Life Science Laboratories, Animal Transportation Vehicles, Breeding Establishments, Grooming Establishments, Kennels, Veterinary Clinics, Zoos. No warranty, either expressed or implied, is given to the usage contrary to the instructions given herein.

EZ-Guard Disinfecting Spray is an effective virucide*, bactericide, tuberculocide and fungicide on hard non-porous surfaces, in the presence of an organic load, against Adenovirus type 5, Avian Influenza A Virus, Canine distemper Virus, Canine parvovirus, Cytomegalovirus, Enterovirus EV-D68, Feline calicivirus, Feline leukemia Virus, Hepatitis B Virus, Hepatitis C Virus, Herpes Simplex Virus Type 1, Human Coronavirus, Human Immunodeficiency Virus, Influenza Virus type A2, Influenza B, Norovirus, Poliovirus serotype 1, Respiratory Syncytial Virus, Rhinovirus, Rotavirus Strain WA, Vaccinia virus, Acinetobacter baumannii Multi-Drug resistant (MDR), Bordetella bronchiseptica, Bordetella pertussis, Burkholderia cepacia, Campylobacter jejuni, Enterobacter aerogenes, Enterobacter cloacae MDR, Enterobacter cloacae (CRE) (New Delhi) MDR, Escherichia coli O157:H7, Escherichia coli (ESBL) TEM-10 MDR, Klebsiella pneumoniae, Klebsiella pneumoniae (ESBL) SHV-18 MDR, Legionella pneumophila, Listeria monocytogenes, Proteus vulgaris, Pseudomonas aeruginosa, Salmonella enterica, Shigella dysenteriae, Staphylococcus aureus, Staphylococcus aureus Methicillin Resistant (MRSA), Streptococcus pyogenes, Streptococcus pneumoniae, Vancomycin Intermediate Staphylococcus aureus Panel (VISA), Vancomycin Resistant Enterococcus faecium (VRE), Vancomycin Resistant Staphylococcus aureus (VRSA), Mycobacterium bovis, Trichophyton interdigitale; and Candida albicans, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

CLEANING: Wet surface sufficiently and clean with a mop, sponge, cloth, nonwoven wipe, or other suitable cleaning instrument to thoroughly clean the surface.

DISINFECTING: To disinfect hard, non-porous surfaces, spray product as necessary, to thoroughly wet the surface to be treated. Treated surface must remain visibly wet for one minute to achieve complete disinfection of all pathogens listed on this label. For visibly soiled surfaces, clean before following disinfecting instructions. Allow surfaces to air dry.

KILLS HIV-1, HBV and HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of *Human Immunodeficiency Virus Type 1* (HIV-1), *Hepatitis B Virus* (HBV), and *Hepatitis C Virus* (HCV)

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HBV, and HCV FOR SURFACES OR OBJECTS SOILED WITH BLOOD OR BODY FLUIDS.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURES: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of EZ-Guard Disinfecting Spray.

CONTACT TIME: Allow surface to remain wet for 1 full minute.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.

Veterinary Clinics, Animal Life Science Laboratories, Pet Shops

Remove all animals and feed from premises, vehicles, and enclosures. Remove all litter and manure from floors, walls, and surfaces of facilities and fixtures occupied or traversed by animals. Empty all troughs, racks and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Wet surfaces for 1 minute. Immerse all handling and restraining equipment as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, vehicles, and other closed spaces. Do not house animals or employ equipment until treatment has been absorbed, set, or dried. Thoroughly scrub treated feed troughs, racks and other feeding and watering appliances with soap or detergent, then rinse with potable water before reuse.

DRUG RESISTANT AND MULTI-DRUG RESISTANT BACTERIA

EZ-Guard Disinfecting Spray is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against *Acinetobacter baumannii* - Multi-Drug resistant (MDR), *Carbapenem resistant Enterobacter cloacae* (CRE) MDR, *Carbapenem resistant Enterobacter cloacae* (CRE) (New Delhi) MDR, *Enterococcus faecium* - Vancomycin resistant (VRE), *Escherichia coli* - ESBL Producing MDR, *Klebsiella pneumoniae* - ESBL Producing MDR, *Staphylococcus aureus* - Methicillin resistant (MRSA), *Staphylococcus aureus* - Vancomycin resistant (VRSA), and *Staphylococcus aureus* Panel - Vancomycin intermediate (VISA), when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

BACTERIA

This product is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against *Bordetella pertussis*, *Burkholderia cepacia*, *Campylobacter jejuni*, *Enterobacter aerogenes*, *Escherichia coli* O157:H7, *Klebsiella pneumoniae*, *Legionella pneumophila*, *Listeria monocytogenes*, *Proteus vulgaris*, *Pseudomonas aeruginosa*, *Salmonella enterica*, *Shigella dysenteriae*, *Staphylococcus aureus*, *Streptococcus pyogenes*, and *Streptococcus pneumoniae*, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

TUBERCULOCIDAL:

This product is an effective disinfectant on hard non-porous surfaces, in the presence of an organic load, against *Mycobacterium bovis*, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

FUNGICIDAL:

This product is an effective fungicide on hard non-porous surfaces against *Trichophyton interdigitale*, when used as directed, and *Candida albicans*, when the treated surface is allowed to remain wet for 1 minute. Allow surfaces to air dry.

ANIMAL PATHOGENS:

This product is an effective disinfectant on hard non-porous surfaces against *Avian Influenza A Virus*, *Bordetella bronchiseptica*, *Bovine Diarrhea Virus*, *Canine distemper Virus*, *Canine parvovirus*, *Duck Hepatitis B Virus*, *Feline calicivirus*, and *Feline leukemia Virus*.

EFFICACY TESTS HAVE DEMONSTRATED THAT THIS PRODUCT IS AN EFFECTIVE VIRUCIDE, BACTERICIDE, TUBERCULOCIDE AND FUNGICIDE IN THE PRESENCE OF ORGANIC SOIL.

Distributed By: