

1. IDENTIFICATION

Product identifier
Product Name

BSI-104 BOWL BRITE PLUS

Recommended use of the chemical and restrictions on use

Recommended Use Toilet bowl and urinal cleaner

Uses advised against Follow the directions for use on the label when applying this product

Details of the supplier of the safety data sheet

Manufacturer Address Best Sanitizers, Inc PO Box 1360 Penn Valley, CA 95946

Toll Free: 888-225-3267

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Harmful if inhaled

Causes severe skin burns and eye damage



Appearance Aqueous solution

Physical state Liquid

Odor Mild

Precautionary Statements - Prevention

Use only outdoors or in a well-ventilated area

Do not breathe dusts or mists

Wash face, hands, and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Immediately call a poison center or doctor

Specific treatment (see Section 4 on SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not Applicable

Other Information

· Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS			
Chemical Name	CAS No.	weight-%	
Water	7732-18-5	78-82	
Phosphoric acid	7664-38-2	13-17	
Trade Secret 1	Proprietary	1-3	
Trade Secret 2	Proprietary	< 1	
Trade Secret 3	Proprietary	< 1	
Trade Secret 4	Proprietary	< 0.5	
Trade Secret 5	Proprietary	< 0.5	
Ethyl Alcohol	64-17-5	< 0.5	

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin contact

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if

present, after first 5 minutes, then continue rinsing eye. Seek immediate medical attention/advice. Wash off immediately with soap and plenty of water while removing all contaminated clothes and

shoes. Wash contaminated clothing and shoes before reuse. For severe burns, immediate medical

attention is required.

Inhalation Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

Ingestion Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious

person. Call a physician immediately.

Most important symptoms and effects, both acute and delayed

Symptoms See Section 11 for symptom information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Water spray (fog). Carbon dioxide (CO2). Foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal precautions Use personal protection recommended in Section 8. Ensure adequate ventilation, especially

in confined areas.

For emergency responders

Environmental precautions
Environmental precautions

Isolate area. Keep unnecessary personnel away.

Prevent entry into waterways, sewers, basements, or confined areas. See Section 12 for

additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with

non-combustible absorbent material, (e.g., sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal. Following product recovery, flush area with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Methods for cleaning up

Advice on safe handling Use personal protection recommended in Section 8. Avoid contact with skin, eyes, or clothing.

Use only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after

handling. Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Incompatible materials Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep from freezing.

Chlorinated compounds. Cyanides. Alkali. Certain soft metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric acid	STEL: 3 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³
7664-38-2	TWA: 1 mg/m ³	(vacated) STEL: 3 mg/m ³	TWA: 1 mg/m³ STEL: 3 mg/m³
Ethyl Alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

Appropriate engineering controls

Engineering Controls Showers, eyewash stations, ventilation system.

Individual protection measures, such as personal protective equipment

Eye/face protection Splash proof chemical goggles and face shield.

Skin and body protection Wear protective Neoprene™ gloves or rubber gloves. Normal work clothing (long sleeved

shirt and long pants) is recommended. Apron recommended.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Wash face, hands, and any exposed skin thoroughly after handling. Wash contaminated clothing and shoes before reuse. Do not eat, drink, or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Aqueous solution Odor Mild

Color Clear, Colorless Odor threshold No information available

Remarks • Method Property <u>Values</u> ±1 @ 21°C

Hq

< -6.7 °C / < 20 °F Melting point/freezing point No information available Boiling point / boiling range Flash point No information available Evaporation rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available

Specific Gravity 1.1 g/cc

Completely soluble Water solubility No information available Solubility in other solvents Partition coefficient No information available Autoignition temperature No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available No information available **Explosive properties** Oxidizing properties No information available VOC Content (%) 0.36% (0.033 lbs/gal)

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

None known. Incompatible materials

Chlorinated compounds. Cyanides. Alkali. Certain soft metals.

Hazardous Decomposition Products

Carbon monoxide. Carbon dioxide (CO2). Phosphorus oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors

may be irritating to eyes, nose, throat, and lungs.

Eye contact Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage

including blindness.

Skin Contact Corrosive. Contact causes severe skin irritation and possible burns.

Ingestion Harmful if swallowed. Can burn mouth, throat, and stomach. Ingestion causes burns of the

upper digestive and respiratory tracts.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Phosphoric acid 7664-38-2	= 1530 mg/kg (Rat)	= 2740 mg/kg (Rabbit)	> 850 mg/m³ (Rat) 1 h
Trade Secret 1	= 1400 mg/kg (Rat) = 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-
Trade Secret 2	= 426 mg/kg (Rat)	-	-
Trade Secret 3	= 238 mg/kg	= 3342 mg/kg	-
Trade Secret 4	= 238 mg/kg	= 3342 mg/kg	-
Trade Secret 5	= 84 mg/kg (Rat)	= > 1000 mg/kg (Rat)	-
Ethyl Alcohol 64-17-5	= 7060 mg/kg (Rat)	-	= 124.7 mg/L (Rat) 4 h

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as

alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl Alcohol - 64-17-5	A3	-	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.
No information available.
Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document.

 Oral LD50
 10,200.00 m g /kg

 Dermal LD50
 15,448.00 m g /kg

 Mist
 1.42 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxic to aquatic life with long lasting effects

2.002% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Fish	Crustacea
Phosphoric acid	3 - 3.5: 96 h Gambusia affinis mg/L LC50	4.6: 12 h Daphnia magna mg/L EC50
7664-38-2	_	
Ethyl Alcohol	13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through	9268 - 14221: 48 h Daphnia magna mg/L LC50
64-17-5	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static	10800: 24 h Daphnia magna mg/L EC50
	100: 96 h Pimephales promelas mg/L LC50 static	2: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

No information available.

Bioaccumulation

Bioaccamalation		
Chemical Name	Partition coefficient	
Ethyl Alcohol - 64-17-5	-0.32	

Mobility

Soluble in water.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national, and local laws and regulations.

Contaminated packaging Dispose of in accordance with federal, state, and local regulations.

zonitaliinitatoa paonaging ziopoco of ili accordantes trial toacian, carta tocal regulatione.				
Chemical Name	California Hazardous Waste Status			
Phosphoric acid - 7664-38-2	Corrosive			
Ethyl Alcohol - 64-17-5	Toxic	Ignitable		
4.4 TRANSPORT INFORMATION				

14. TRANSPORT INFORMATION

DOT

UN/ID No. 1760

Proper shipping name Corrosive liquids, n.o.s. (contains phosphoric acid)

Hazard Class 8
Packing Group III
Emergency Response Guide Number 154

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Does not comply

Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardNoFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb.	-	-	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Phosphoric acid	5000 lb.	-	RQ 5000 lb. final
7664-38-2			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

Warning! This product may contain trace amounts of 1,4-dioxane 123-91-1; Ethylene oxide 75-21-8.

Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage

Chemical Name	California Proposition 65		roposition 65
Ethyl Alcohol - 64-17-5		Carcinogen	Developmental

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Phosphoric acid 7664-38-2	X	X	X
Ethyl Alcohol 64-17-5	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

| MFPA | Health hazards 2 | Flammability 0 | Instability 0 | Physical and Chemical | Properties Corrosive, Acid | Health hazards 2 | Flammability 0 | Physical hazards 0 | Personal protection C (safety

glasses, gloves, synthetic apron)

Prepared By Technical Department

Issue Date 17-Mar-2017
Revision Date 3-Jan-2025

Version 4

Revision Note

New information on raw ingredient has become available.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The health hazards given on this SDS apply to this product in its concentrated form (as supplied) and may differ significantly at use dilution. The signs and symptoms of exposure apply only to negligence in handling or misuse of the concentrated product and not to the routine exposure of the diluted product under conditions of ordinary use.

End of Safety Data Sheet