# **SAFETY DATA SHEET**



## 1. IDENTIFICATION

#### **Product identifier**

Product Name BSI-550 Heavy-Duty CIP Cleaner

## Other means of identification

High alkaline cleaner

## Recommended Uses

Removal of fat soils and suited for rendering operations.

## Distributor Address

Best Sanitizers, Inc.

PO Box 1360

Penn Valley, CA 95946 Toll Free: 888-225-3267

## **Emergency telephone number**

Emergency Phone Numbers ChemTrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/irritation	Category 1
Skin corrosion/irritation	Category 1

Signal word Danger

### Hazard statements

Causes serious skin burns and eye damage



Appearance Aqueous solution Physical State Liquid Odor Alkaline

#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

#### Precautionary Statements - Response

Immediately call a POISON CENTER or doctor/physician.

Specific treatment (see Section 4 on SDS for more information).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin (hair) with water/shower. Wash contaminated clothing and shoes before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.

#### **Precautionary Statements - Storage**

Store locked up.

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

### Hazards not otherwise classified (HNOC)

Not Applicable

## Other Information

\*May be harmful in contact with skin.

\*Harmful to aquatic life with long lasting effects.

\*Harmful to aquatic life.

Unknown acute Toxicity 1.8% of the mixture consists of ingredient(s) of unknown toxicity.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight %	Trade Secret
Water	7732-18-5	52-62	
Sodium Hydroxide	1310-73-2	36-46	
Trade Secret	Proprietary	1-3	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures

Eye Contact Hold eye(s) open and rinse slowly and gently with water for 15-20 minutes. Remove

contact lenses, if present, after first 5 minutes, then continue rinsing eye(s). Seek

immediate medical advice/ attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated clothes

and shoes. Wash contaminated clothing and shoes before reuse. Get medical attention if

irritation develops and persists.

**Inhalation** Remove to fresh air. Administer oxygen if breathing is difficult. Call a physician immediately.

**Ingestion** Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

#### Most important symptoms and effects, both acute and delayed

### **Most Important Symptoms and Effects**

See Section 11 for symptom information

### Indication of any immediate medical attention and special treatment needed

**Note to physicians:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Dry Chemical. Water spray (fog), Carbon dioxide (CO2), Foam.

#### **Unsuitable Extinguishing Media**

No Information available.

## Specific Hazards Arising from the Chemical

No information available.

#### Hazardous combustion products:

Carbon monoxide. Carbon dioxide (CO2)

#### **Explosion Data**

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protection recommended in Section 8. Ensure adequate ventilation,

especially in confined areas.

For emergency responders Isolate area. Keep unnecessary personnel away.

**Environmental precautions** 

Environmental Precautions Prevent entry into waterways, sewers, basements or confined areas. See Section

12 for additional ecological information.

## Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-

combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (See Section 13).

Methods for Cleaning Up

Collect spillage. Soak up with inert absorbent material. Sweep up and shovel into suitable

containers for disposal. Remainder may be neutralized with a mild acid (vinegar) and rinsed

to a sewer.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling Use personal protection recommended in Section 8. Avoid contact with skin and eyes. Use

only in well-ventilated areas. Avoid breathing vapors or mists. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions/** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from

**Incompatible materials** freezing.

Acids. Amphoteric metals (aluminum, copper, zinc).

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Sodium Hydroxide	Ceiling: 2 mg/m3	TWA: 2 mg/m3	IDLH: 10 mg/m3
1310-73-2		(vacated) Ceiling: 2 mg/m3	Ceiling: 2 mg/m3

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value. OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits. NIOSH IDLH: Immediately Dangerous to Life or Health.

#### Appropriate engineering controls

**Engineering Controls** Showers, eyewash stations, ventilation system.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Splash proof chemical goggles and face shield.

**Skin and Body Protection**Wear protective NeopreneTM gloves. Rubber gloves. Wear suitable protective clothing.

Rubber boots recommended.

**Respiratory Protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

**Hygiene Measures** Wash face, hands and any exposed skin thoroughly after handling. Wash contaminated

clothing and shoes before reuse. Do not Eat, Drink or Smoke when using this product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Physical and Chemical Properties**

Formula See Section 3

Physical State Liquid

Appearance Aqueous solution Odor Alkaline

Color Clear amber Odor Threshold No information available

 Property
 Values
 Remarks/ Method

 pH
 13
 +/- 1 @ 21°C

 Melting/freezing point
 3.9°C / 39°F
 None known

**Boiling point / boiling range** 120°C / 248° F None known

Flash Point Not Flammable N/A

Evaporation rateNo information availableNone knownFlammability (solid, gas)No data availableNone known

Flammability Limits in Air

 Upper flammability limit
 No data available
 None known

 Lower flammability limit
 No data available
 None known

Vapor pressure No data available None known Vapor density No data available None known **Specific Gravity** 1.455 g/cc None known Water Solubility Soluble in water. None known Solubility in other solvents No data available None known Partition coefficient: No data available None known **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known **Dynamic viscosity** No data available None known

#### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available.

## **Chemical stability**

Stable under recommended storage conditions. Exothermic reaction will occur upon dilution with water.

## Possibility of Hazardous Reactions

None under normal processing.

## **Conditions to avoid**

None known.

#### Incompatible materials

Acids. Amphoteric metals (aluminum, copper, zinc).

## **Hazardous Decomposition Products**

Carbon monoxide. Carbon dioxide (CO2).

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

Inhalation Inhalation of vapors in high concentration may cause irritation of respiratory system. Vapors may be irritating

to eyes, nose, throat, and lungs.

**Eye Contact** Risk of serious damage to eyes. Corrosive to the eyes and may cause severe damage including blindness.

**Skin Contact** Corrosive. Contact causes severe skin irritation and possible burns.

Ingestion Harmful if swallowed. Can burn moth, throat and stomach, ingestion causes burns of the upper digestive

and respiratory tracts.

## **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium hydroxide 1310-73-2	-	= 1350 mg/kg (Rabbit)	-

#### Information on toxicological effects

Symptoms No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No Information Available

Germ cell mutagenicity No Information Available

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Reproductive toxicity No Information Available

STOT single exposure No Information Available

STOT repeated exposure No Information Available

Aspiration Hazard No Information Available

## Numerical measures of toxicity -Product Information

Unknown Acute Toxicity 1.8% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document

Dermal LD50 3,273.00 mg/kg

## 12. Ecological Data

#### **Ecotoxicity**

HarmfulToxic to aquatic life with long lasting effects.

1.8% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide	-	45.4: 96 h Onocorhynchus mykiss	-
1310-73-2		mg/L LC50 Static	

## **Persistence and Degradability**

No Information Available.

#### **Bioaccumulation**

No information available

#### **Mobility**

Soluble in water.

#### Other adverse effects

No information available.

## 13. DISPOSAL CONSIDERATIONS

Disposal methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Dispose of in accordance with federal, state and local regulations.

Chemical Name		California Hazardous Waste Status
Sodium hydroxide	1310-73-2	Toxic; Corrosive

## 14. TRANSPORT INFORMATION

DOT

**UN/ID No.** 1760

Proper shipping name Corrosive liquids, n.o.s. (contains sodium hydroxide)

Hazard Class 8
Packing Group II
Emergency Response Guide Number 154

## 15. REGULATORY INFORMATION

## **Chemical Inventories**

TSCA Complies
DSL/NDSL Complies
EINECS/EIINCS Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

**Acute Health Hazard** Yes **Chronic Health Hazard** No Fire Hazard No Sudden Release of Pressure Hazard No **Reactive Hazard** 

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA-Reportable Quantity	CWA-Toxic Pollutants	CWA-Priority Pollutants	CWA-Hazardous Substances
Sodium hydroxide1310-73-2	1000 lbs	-	-	X

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environment Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium hydroxide	1000 lbs	-	RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

#### **US State Regulations**

## California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium hydroxide 1310-73-2	Х	Х	Х

## U.S. EPA Label Information

**EPA Pesticide Registration Number** Not Applicable

## 16. OTHER INFORMATION

**NFPA** Health Hazard 2 0 Instability 0 **Flammability Physical and Chemical Hazards** 

Corrosive, Alkaline Health Hazard 2 Physical Hazard 0 **HMIS** Flammability 0 Personal Protection D

(face shield, gloves, synthetic apron)

Prepared By **Technical Department** 

June 3, 2024 Preparation/Revision Date

Version **Revision Note Annual Review** 

## **General Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

materials or in any process, unless specified in the text.	sidered a warranty or quality specification. The information not be valid for such material used in combination with any other Safety Data Sheet